MSDS - Material Safety Data Sheet

Product Name: EVIDENT Dual Contrast Magnetic Fingerprint Powder

I. Basic In	formation:						
Manufacturer: EVIDENT					NFPA Fire 2		
Address: 739 Brooks Mill Rd					Health F	Reastivity	
City, ST, ZIP: Union Hall, VA 24176					1	1	
	800-576-7606				-W- Specjal	Y	
-					~		
Contact: Technical Support					1 Health		
Last Update: 01/19/2011 Expiration Date:					2 Flammability		
Chemical State:					1 Reactivit	y	
Chemical Typ	pe: Pure X Mixture				F Pers. Pro	tection	
II. Ingredi	ients:						
Trade Se							
EHS IARC SARA							
CAS No.	Chemical Name	% Range	NTP	SUB Z	13 OSHA PEL	ACGIH TLV	Other Limits
7429905	Aluminum	2			5 mg/m3	5 mg/m3	1,094 F
1309371	Iron oxide	98			5mg/m3	10mg/m3	
III. Hazar	rdous Identification:						
Hazard Cate	gory:						
X Acu	te X Chronic	Fire			Pressure X Reactive		Reactive
Hazardous Id	dentification Information:						
May be da	angerous if ingested. Respiratory tract	irritant. Skin irrita	nt. Severe	eye irritant.			
	erial is subject to the reporting requirem	ents of Section 31	3 of SARA	Title III and	40 CFR Part 373	i.	
IV. First A	Aid Measures:						
Route(s) of E	Entry:						
Inhalation	n, ingestion, skin, eyes						
Health Hazar	rds (Acute and Chronic):						
Chronic:	Siderosis						
Signs and Sy	ymptoms:						
Eyes: Inf	lammation, redness, watering, itching						
Medical Con	ditions Generally Aggravated by Exposu	ire:					
Skin, eye	, respiratory						
Emergency a	and First Aid Procedures:						

Page 2 of 4

MSDS - Material Safety Data Sheet

Product Name: EVIDENT Dual Contrast Magnetic Fingerprint Powder

Inhalation: Remove to fresh air. If breathing becomes difficult, give oxygen (To be administered by qualified medical personnel only!) If breathing stops, perform artificial respiration. Keep victim warm and at rest. Seek medical attention.

Ingestion: If victim is conscious and alert, give large quantities of water or milk. (Never give anything by mouth to an unconscious person!) Induce vomiting. Lower the head so that the vomit will not re-enter the mouth and throat. Seek medical attention.

Skin: Wash with soap and water. If irritation occurs, seek medical attention.

Eyes: Rinse with plenty of water for 15 minutes. Seek medical attention. DO NOT use an eye ointment.

Convulsions: Do not restrain the victim, but do remove objects with which they might injure themselves; or, orient the victim to prevent them from striking fixed heavy objects. If the convulsions cease, turn the victim on their side or face down, so that any fluid in the mouth can drain.

Other Health Warnings:

V. Fire Fighting Measures:

Flash Point: NE Lower Explosive Limit: 0.035 Upper Explosive Limit: NE

F.P. Method:

Fire Extinguishing Media: Dry chemical, sand, graphite--DO NOT use water

Special Fire Fighting Procedures:

Wear self-contained breathing apparatus and protective clothing.

Unusual Fire and Explosion:

Can pose dust explosion hazard if dispersed in air. May react with water to form combustible hydrogen gas.

VI. Accidental Release Measures:

Steps to be Taken in Case Material is Released or Spilled:

Wear dust respirator, safety goggles, and rubber gloves. Sweep up and place in bag or vacuum up with proper filter equipped instrument. Avoid creating dust. Ventilate and wash spill site after collecting solid. Dispose according to local, state, and federal regulations.

VII. Handling and Storage:

Precautions to be Taken:

Keep in tightly closed container. Keep cool and dry. Avoid all ignition sources (heat, open flame, spark). Avoid incompatible materials. Ground all equipment containing material. Use only in well-ventilated areas. Avoid dust generation and accumulation. Avoid ingestion and inhalation of dust. Avoid contact with eyes. Wash thoroughly after handling.

Caution: Wear of safety goggles is recommended when handling this product.

Caution: Wear of safety goggles is recommended when handling this product.

Other Precautions:

VIII. Exposure Controls/Personal Protection:

Ventilation Requirements:

Use only in well-ventilated areas.

MSDS - Material Safety Data Sheet

Product Name: EVIDENT Dual Contrast Magnetic Fingerprint Powder

Personal Protective Equipment:

Safety goggles, gloves, dust respirator, protective clothing

IX. Physical and Chemical Properties:

Boiling Point: 3,733 F Melting Point: 1,220 F

Evaporation Rate (Butyl Acetate = 1): N/A Vapor Pressure (mm Hg.): 1

Specific Gravity (H20 = 1): Vapor Density (AIR = 1): N/A

Solubility In Water: Insoluble Appearance and Odor: Silver/black powder

Other Information:

X. Stability and Reactivity:

Stability:

Normally stable

Incompatibility (Materials to Avoid):

Acids, strong alkalies, strong bases, strong oxidizers, iodates, chlorinated hydrocarbons, oxides, nitrites, nitrates, carbon disulfide, chlorides, sodium peroxide + carbon dioxide, sulfur dichloride, palladium, manganese, magnesium + potassium chlorate, sodium carbonate, sulfates, diborane, water, ignition sources (heat, open flame, spark), pure oxygen

Decomposition/By Products:

Combustible hydrogen gas

Hazardous Polymerization:

Will not occur

XI. Toxicological Information:

Prolonged inhalation of iron oxide dust is known to produce a condition known as siderosis. On x-rays, it appears to be a benign pneumoconiosis, and is not associated with pulmonary fibrosis or disability unless there is concurrent exposure to other fibrosis-producing materials such as silica. The TLV is set to protect against siderosis.

XII. Ecological Information:

Prevent from entering sewers or waterways. May be toxic to some aquatic life.

XIII. Disposal Considerations:

Dispose according to local, state, and federal regulations.

XIV. Transport Information:

Keep in tightly closed container. Keep cool and dry. Avoid all ignition sources (heat, open flame, spark). Avoid incompatible materials. Ground all equipment containing material. Avoid dust generation and accumulation. Avoid ingestion and inhalation of dust. Avoid contact with eyes. Wash thoroughly after handling.

XV. Regulatory Information:

Lycopodium is hazardous by definition of OSHA Hazard Communication Standard (29 CFR 1910.1200).

This material is subject to the reporting requirements of Section 313 of SARA Title III and 40 CFR Part 373.

MSDS - Material Safety Data Sheet

Product Name: EVIDENT Dual Contrast Magnetic Fingerprint Powder

XVI. Other Information:

Using this product under normal, properly instructed procedures should not be hazardous.

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, expressed or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular purposes.