MSDS - Material Safety Data Sheet

Product Name: EVIDENT Green Fluorescent Magnetic Fingerprint Powder

I. Basic In	formation:							
Manufacture	er: EVIDENT				NFPA Fire			
Address: 739 Brooks Mill Rd					Health f	Reactivity		
					$\langle 1 \rangle$	1		
City, ST, ZIF	P: Union Hall, VA 24176				\times	/		
Telephone:	800-576-7606				Special			
Contact: Technical Support					1 Health			
Last Update: 01/27/2011 Expiration Date:					1 Flammability			
Chemical State: Liquid Gas X Solid					1 Reactivity			
Chemical Type: Pure X Mixture					F Pers. Pro	tection		
II. Ingredi	ents:							
Trade Se								
_		E	HS IAF	-	ARA	400111	011	
CAS No.	Chemical Name	% Range	NTP	SUB Z	313 OSHA PEL	ACGIH TLV	Other Limits	
7439896	Iron	46			10 mg/m3	5 mg/m3	2,795 F	
0	Lycopodium	25			NE	NE		
0	Signal green AX pigment	25			NE	NE		
13463677	Titanium dioxide	4			15 mg/m3	10 mg/m3	5 mg/m3	
	dous Identification:							
Hazard Categ	gory:							
X Acute X Chronic		Fire		Pressure		Reactive		
	dentification Information: angerous if ingested. Respiratory trac	ct irritant. Skin irrita	ant. Severe	eye irritant.	May cause side	rosis.		
IV. First A	Aid Measures:							
Route(s) of E	Entry:							
Inhalation	, ingestion, skin, eyes							
Health Hazar	ds (Acute and Chronic):							
Chronic:	Siderosis							
Signs and Sy	mptoms:							
Eyes: Infl	lammation, redness, watering, itching							
Medical Cond	ditions Generally Aggravated by Expos	ure:						
Skin, eye,	, respiratory diseases							

Page 2 of 4 Thursday, January 27, 2011

MSDS - Material Safety Data Sheet

Product Name: EVIDENT Green Fluorescent Magnetic Fingerprint Powder

Emergency and First Aid Procedures:

Inhalation: Remove to fresh air. If breathing becomes difficult, give oxygen (To be administered by qualified medical personnel only!) If breathing stops, perform artificial respiration. Seek medical attention.

Ingestion: If victim is conscious and alert, give large quantities of water. (Never give anything by mouth to an unconscious person!) DO NOT induce vomiting. If vomiting occurs, lower the head so that the vomit will not re-enter the mouth and throat. Seek medical attention.

Skin: Wash with soap and water. If irritation occurs, seek medical attention.

Eyes: Rinse with plenty of water for 15 minutes. Seek medical attention. DO NOT use an eye ointment.

Convulsions: Do not restrain the victim, but do remove objects with which they might injure themselves; or, orient the victim to prevent them from striking fixed heavy objects. If the convulsions cease, turn the victim on their side or face down, so that any fluid in the mouth can drain.

Other Health Warnings:

V. Fire Fighting Measures:

Flash Point: NE Lower Explosive Limit: NE Upper Explosive Limit: NE

F.P. Method:

Fire Extinguishing Media: Dry chemical, sand, graphite

Special Fire Fighting Procedures:

Wear self-contained breathing apparatus and protective clothing. Cool containers with water jet in order to prevent pressure build-up, autoignition, or explosion.

Unusual Fire and Explosion:

Can pose dust explosion hazard if dispersed in air.

VI. Accidental Release Measures:

Steps to be Taken in Case Material is Released or Spilled:

Wear dust respirator, safety goggles, and rubber gloves. Sweep up and place in bag or vacuum up with proper filter equipped instrument. Avoid creating dust. Ventilate and wash spill site after collecting solid. Dispose according to local, state, and federal regulations.

VII. Handling and Storage:

Precautions to be Taken:

Keep in tightly closed container. Keep cool and dry. Avoid all ignition sources (heat, open flame, spark). Avoid incompatible materials. Ground all equipment containing material. Use only in well-ventilated areas. Avoid dust generation and accumulation. Avoid ingestion and inhalation of dust. Avoid contact with eyes. Wash thoroughly after handling.

Other Precautions:

DO NOT wear contact lenses while using this product.

VIII. Exposure Controls/Personal Protection:

Ventilation Requirements:

Use only in well-ventilated areas.

Personal Protective Equipment:

Page 3 of 4

Thursday, January 27, 2011

MSDS - Material Safety Data Sheet

Product Name: EVIDENT Green Fluorescent Magnetic Fingerprint Powder

Safety goggles, gloves, dust respirator, protective clothing

IX. Physical and Chemical Properties:

Boiling Point: NE Melting Point: 2,795 F

Evaporation Rate (Butyl Acetate = 1): NE Vapor Pressure (mm Hg.): NE

Specific Gravity (H20 = 1): Vapor Density (AIR = 1): NE

Solubility In Water: Not established Appearance and Odor: Green powder

Other Information:

X. Stability and Reactivity:

Stability:

Normally stable

Incompatibility (Materials to Avoid):

Pure oxygen, strong oxidizers, ignition sources (heat, open flame, spark)

Decomposition/By Products:

Carbon oxides, nitrogen oxides, sulfur oxides

Hazardous Polymerization:

Will not occur.

XI. Toxicological Information:

Prolonged inhalation of iron oxide dust is known to produce a condition known as siderosis. On x-rays, it appears to be a benign pneumoconiosis, and is not associated with pulmonary fibrosis or disability unless there is concurrent exposure to other fibrosis-producing materials such as silica. The TLV is set to protect against siderosis.

Signal green AX pigment contains less than 0.1% free formaldehyde and may be capable of outgassing formaldehyde at levels in excess of OSHA's action level under some conditions of use. Formaldehyde is a potential cancer hazard.

XII. Ecological Information:

Prevent from entering sewers or waterways. May be toxic to some aquatic life.

XIII. Disposal Considerations:

Dispose according to local, state, and federal regulations.

XIV. Transport Information:

Keep in tightly closed container. Keep cool and dry. Avoid all ignition sources (heat, open flame, spark). Avoid incompatible materials. Ground all equipment containing material. Avoid dust generation and accumulation. Avoid ingestion and inhalation of dust. Avoid contact with eyes. Wash thoroughly after handling.

XV. Regulatory Information:

Lycopodium is hazardous by definition of OSHA Hazard Communication Standard (29 CFR 1910.1200).

MSDS - Material Safety Data Sheet

Product Name: EVIDENT Green Fluorescent Magnetic Fingerprint Powder

XVI. Other Information:

Using this product under normal, properly instructed procedures should not be hazardous.

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, expressed or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular purposes.