

MSDS - Material Safety Data Sheet**Product Name: Reagent for Valium, Rohypnol, & Metcathinone (Ampoule 1)**

EVIDENT, INC.
 1-800-576-7606
 www.EvidentCrimeScene.com
 contact@evident.cc

MSDS No.: NARK20014A

I. Basic Information:

Manufacturer: Sirchie Finger Print Laboratories

Address: 100 Hunter Place

City, ST Zip: Youngsville, NC 27596

Emergency Contact: ChemTrec

Emergency Telephone Number: 800-424-9300

Contact: Tech Support

Information Telephone Number: 919-554-2244

Last Update: 01/31/2011

Expiration Date:

Chemical State: Liquid Gas SolidChemical Type: Pure Mixture

2	Health
4	Flammability
1	Reactivity
H	Pers. Protection

II. Ingredients: Trade Secret

CAS No.	Chemical Name	% Range	EHS		IARC		SARA		OSHA PEL	ACGIH TLV	Other Limits
			NTP		SUB Z	313					
67561	Methanol	97					X	200 ppm	200 ppm	53.6 F	
1310583	Potassium hydroxide	3						NE	2 mg/m3	361 C	

III. Hazardous Identification:

Hazard Category:

 Acute Chronic Fire Pressure Reactive
Hazardous Identification Information:

FLAMMABLE! May react with water. May be fatal or cause blindness if ingested. Harmful if inhaled. May be absorbed through the skin. May cause respiratory and digestive tract irritation. Skin and eye irritant. May cause central nervous system depression. May cause liver and kidney damage. May cause adverse reproductive and fetal effects based on animal testing.

This material is subject to the reporting requirements of Section 313 of SARA Title III and 40 CFR Part 373.

IV. First Aid Measures:

Route(s) of Entry:

Inhalation, ingestion, skin, eyes

Health Hazards (Acute and Chronic):

Chronic: Dermatitis

Signs and Symptoms:

Inhalation: Headache, convulsions, possible death

Ingestion: Excitement, headache, dizziness, drowsiness, nausea, collapse, unconsciousness, coma, death due to respiratory failure

Medical Conditions Generally Aggravated by Exposure:

Skin, eye, respiratory, kidney, liver, central nervous system diseases

MSDS - Material Safety Data Sheet

Product Name: Reagent for Valium, Rohypnol, & Metcathinone (Ampoule 1)

MSDS No.: NARK20014A

Emergency and First Aid Procedures:

Inhalation: Remove to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen (To be administered by qualified medical personnel only!) Get medical attention.

Ingestion: If victim is conscious and alert, give 2-4 cups of milk or water. (Never give anything by mouth to an unconscious person!) Induce vomiting by giving one teaspoon (1 tsp.) of Syrup of Ipecac. Get medical attention immediately.

Skin: Flush skin with plenty of soap and water for at least 15 minutes. Remove contaminated clothing. Seek medical attention.

Eyes: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower lids. Do not allow victim to rub or keep eyes closed. Get medical aid immediately.

Notes to physician: Effects may be delayed. Ethanol may inhibit metabolism.

Other Health Warnings:

V. Fire Fighting Measures:

Flash Point: 53.6 F

Lower Explosive Limit: 6.00 vol%

Upper Explosive Limit: 31.00 vol%

F.P. Method:

Fire Extinguishing Media: DO NOT use water! Dry chemical, carbon dioxide, alcohol-resistant foam

Special Fire Fighting Procedures:

Wear self-contained breathing apparatus and protective clothing. Water may be ineffective, but may be used to cool fire-exposed containers. DO NOT allow water to enter containers.

Unusual Fire and Explosion:

Containers can build up pressure if exposed to heat and/or fire. Vapors from this product may travel some distance from original point to an ignition source and flash back. May react with metals, releasing flammable hydrogen gas. May react violently with water.

"Empty" containers may contain product residue and may be dangerous. Empty containers should be completely drained and bunged and then disposed of according to local, state, and federal regulations.

VI. Accidental Release Measures:

Steps to be Taken in Case Material is Released or Spilled:

Wear vapor respirator, safety goggles, and rubber gloves. Remove sources of ignition (i.e. open flames, sparks). Soak up with inert absorbent material (earth, sand, or vermiculite recommended; do not use flammable substances such as sawdust). Scoop up with non-sparking tools. Ventilate and wash spill site after collection. Dispose according to local, state, and federal regulations.

VII. Handling and Storage:

Precautions to be Taken:

Keep in tightly closed container. Keep cool and dry. Avoid all ignition sources (heat, open flame, spark). Avoid incompatible materials, especially water. Use only in well-ventilated areas. Avoid contact with skin, eyes, and clothing. Do not ingest or inhale. Avoid prolonged or repeated exposure. Wash thoroughly after handling.

Other Precautions:

"Empty" containers may contain product residue and may be dangerous. Empty containers should be completely drained and bunged and then disposed of according to local, state, and federal regulations.

MSDS - Material Safety Data Sheet

Product Name: Reagent for Valium, Rohypnol, & Metcathinone (Ampoule 1)

MSDS No.: NARK20014A

VIII. Exposure Controls/Personal Protection:

Ventilation Requirements:

Use only in well-ventilated areas.

Personal Protective Equipment:

Safety goggles, gloves, vapor respirator, protective clothing

IX. Physical and Chemical Properties:

Boiling Point: 64.7 C

Melting Point: -98 C

Evaporation Rate (Butyl Acetate = 1): 5.2

Vapor Pressure (mm Hg.): 96

Specific Gravity (H2O = 1):

Vapor Density (AIR = 1): 1.1

Solubility In Water: Miscible

Appearance and Odor: Clear liquid; alcohol odor

Other Information:

X. Stability and Reactivity:

Stability:

Stable at room temperature in closed containers under normal storage and handling conditions.

Incompatibility (Materials to Avoid):

Oxidants, active metals, acetyl bromide, alkyl aluminum salts, beryllium dihydride, carbon tetrachloride + metals, chloroform + heat, chloroform + sodium hydroxide, chlorides, diethyl zinc, acids, potassium tertbutoxide, ignition sources (heat, open flame, spark), chlorinated solvents, nitro compounds, organic materials, acid anhydrides, aluminum, tin, zinc, alloys, carbon dioxide, air, water, trichloroethylene. See the NFPA Fire Protection Guide for all methanol incompatibility specifics.

Decomposition/By Products:

Carbon monoxide, carbon dioxide, formaldehyde (carcinogen), flammable hydrogen gas, dichloroacetylene (spontaneously flammable)

Hazardous Polymerization:

Has not been reported.

XI. Toxicological Information:

May be fatal or cause blindness if ingested. Harmful if inhaled. May be absorbed through the skin. May cause central nervous system depression. May cause liver and kidney damage. May cause adverse reproductive and fetal effects based on animal testing.

XII. Ecological Information:

Prevent from entering sewers or waterways. May be toxic to some aquatic life.

XIII. Disposal Considerations:

Dispose according to local, state, and federal regulations.

Methanol

RCRA U-Series: Waste no. U154 (Ignitable waste)

This material is banned from land disposal according to RCRA.

MSDS - Material Safety Data Sheet

Product Name: Reagent for Valium, Rohypnol, & Metcathinone (Ampoule 1)

MSDS No.: NARK20014A

XIV. Transport Information:

Keep in tightly closed container. Keep cool and dry. Avoid all ignition sources (heat, open flame, spark). Avoid incompatible materials, especially water. Avoid contact with skin, eyes, and clothing. Do not ingest or inhale. Avoid prolonged or repeated exposure. Wash thoroughly after handling.

IATA

Shipping name: Chemical kit

Hazard class: 9

UN no.: 3316

Packing group: II

XV. Regulatory Information:

All ingredients are listed on the TSCA inventory.

Methanol is listed as a hazardous air pollutant (HAP) under the Clean Air Act.

This material is subject to the reporting requirements of Section 313 of SARA Title III and 40 CFR Part 373.

XVI. Other Information:

Using this product under normal, properly instructed procedures should not be hazardous.

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, expressed or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular purposes.

MSDS - Material Safety Data Sheet**Product Name: Reagent for Valium, Rohypnol, & Metcathinone (Ampoule 2)**

MSDS No.: NARK20014B

I. Basic Information:

Manufacturer: Sirchie Finger Print Laboratories

Address: 100 Hunter Place

City, ST Zip: Youngsville, NC 27596

Emergency Contact: ChemTrec

Emergency Telephone Number: 800-424-9300

Contact: Tech Support

Information Telephone Number: 919-554-2244

Last Update: 01/31/2011

Expiration Date:

Chemical State: Liquid Gas SolidChemical Type: Pure Mixture

2	Health
4	Flammability
1	Reactivity
H	Pers. Protection

II. Ingredients: Trade Secret

CAS No.	Chemical Name	% Range	EHS		IARC		SARA		OSHA PEL	ACGIH TLV	Other Limits
			NTP		SUB Z	313					
67630	Isopropyl alcohol	99.95						400 ppm	400 ppm	53 F	

III. Hazardous Identification:

Hazard Category:

 Acute Chronic Fire Pressure Reactive
Hazardous Identification Information:

Flammable. Respiratory and digestive tract irritant. Skin and eye irritant. Aspiration hazard. May cause central nervous system depression.

This material is subject to the reporting requirements of Section 313 of SARA Title III and 40 CFR Part 373.

IV. First Aid Measures:**Route(s) of Entry:**

Inhalation, ingestion, skin, eyes

Health Hazards (Acute and Chronic):

Acute: May cause bronchiopneumonia or pulmonary edema if aspirated into lungs.

Chronic: Dermatitis

Signs and Symptoms:

Inhalation: Headache, dizziness, unconsciousness, coma

Ingestion: Nausea, vomiting, diarrhea, excitement, headache, dizziness, drowsiness, collapse, unconsciousness, coma, death due to respiratory failure

Skin: Pain, stinging

Eyes: Burning sensation, redness, tearing, inflammation

Medical Conditions Generally Aggravated by Exposure:

MSDS - Material Safety Data Sheet

Product Name: Reagent for Valium, Rohypnol, & Metcathinone (Ampoule 2)

MSDS No.: NARK20014B

Skin, eye, respiratory, kidney, central nervous system diseases

Emergency and First Aid Procedures:

Inhalation: Remove to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen (To be administered by qualified medical personnel only!) Keep victim at rest. Get medical attention.

Ingestion: DO NOT induce vomiting. Aspiration hazard. If victim is conscious and alert, give 2-4 cups of milk or water. (Never give anything by mouth to an unconscious person!) Keep victim at rest. Get medical attention immediately.

Skin: Flush skin with plenty of soap and water for at least 15 minutes. Remove contaminated clothing. Seek medical attention if conditions warrant.

Eyes: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower lids. Do not allow victim to rub or keep eyes closed. Get medical aid immediately.

Notes to physician: Urine acetone test may be helpful in diagnosis.

Other Health Warnings:

V. Fire Fighting Measures:

Flash Point: 53 F

Lower Explosive Limit: 2.0

Upper Explosive Limit: 12.7

F.P. Method:

Fire Extinguishing Media: Dry chemical, carbon dioxide, alcohol-resistant foam

Special Fire Fighting Procedures:

Wear self-contained breathing apparatus and protective clothing. Water may be ineffective, but may be used to cool fire-exposed containers.

Unusual Fire and Explosion:

Explosion hazard--may form explosive peroxides. Containers may explode in the heat of fire. Vapors from this product may travel some distance from original point to an ignition source and flash back.

"Empty" containers may contain product residue and may be dangerous. Empty containers should be completely drained and bunged and then disposed of according to local, state, and federal regulations.

VI. Accidental Release Measures:

Steps to be Taken in Case Material is Released or Spilled:

Wear vapor respirator, safety goggles, and rubber gloves. Prevent additional discharge of material, if possible to do so without risk. Remove sources of ignition (i.e. open flames, sparks). Soak up with inert absorbent material (dry sand or earth recommended; do not use flammable substances such as sawdust). Dispose according to local, state, and federal regulations.

VII. Handling and Storage:

Precautions to be Taken:

Keep in tightly closed container. Protect from direct sunlight. Store below 35 C. Keep cool and dry. Avoid all ignition sources (heat, open flame, spark). Avoid incompatible materials. Electrically bond and ground all containers and equipment before transfer or use of material. Use only in well-ventilated areas. Avoid contact with skin and eyes. Avoid inhalation and ingestion. Wash thoroughly after handling.

Other Precautions:

"Empty" containers may contain product residue and may be dangerous. Empty containers should be completely drained and bunged and then disposed of according to local, state, and federal regulations.

MSDS - Material Safety Data Sheet

Product Name: Reagent for Valium, Rohypnol, & Metcathinone (Ampoule 2)

MSDS No.: NARK20014B

VIII. Exposure Controls/Personal Protection:

Ventilation Requirements:

Use only in well-ventilated areas.

Personal Protective Equipment:

Safety goggles, gloves, vapor respirator, protective clothing

IX. Physical and Chemical Properties:

Boiling Point: 180 F

Melting Point: -128 F

Evaporation Rate (Butyl Acetate = 1): 2.3

Vapor Pressure (mm Hg.): 36

Specific Gravity (H2O = 1):

Vapor Density (AIR = 1): >1.00

Solubility In Water: 100.00 wt. %

Appearance and Odor: Clear liquid; alcohol odor

Other Information:

X. Stability and Reactivity:

Stability:

Stable. Moderate risk of peroxide formation.

Incompatibility (Materials to Avoid):

Caustics, amines, alkanolamines, aldehydes, strong oxidizing agents, chlorinated compounds, ignition sources (heat, open flame, spark), water, alcohols, strong bases, acids

Decomposition/By Products:

Explosive peroxides, carbon monoxide and dioxide, hydrogen cyanide, nitrogen oxides, sulfur oxides, nitrogen, hydrogen chloride

Hazardous Polymerization:

Has not been reported.

XI. Toxicological Information:

Flammable. Respiratory and digestive tract irritant. Skin and eye irritant. Aspiration hazard. May cause central nervous system depression.

This material is subject to the reporting requirements of Section 313 of SARA Title III and 40 CFR Part 373.

XII. Ecological Information:

Prevent from entering sewers or waterways. May be toxic to some aquatic life.

XIII. Disposal Considerations:

Dispose according to local, state, and federal regulations.

XIV. Transport Information:

MSDS - Material Safety Data Sheet

Product Name: Reagent for Valium, Rohypnol, & Metcathinone (Ampoule 2)

MSDS No.: NARK20014B

Keep in tightly closed container. Protect from direct sunlight. Transport below 35 C. Keep cool and dry. Avoid all ignition sources (heat, open flame, spark). Avoid incompatible materials. Electrically bond and ground all containers and equipment before transfer or use of material. Avoid contact with skin and eyes. Avoid inhalation and ingestion. Wash thoroughly after handling.

IATA

Shipping name: Chemical kit

Hazard class: 9

UN no.: 3316

Packing group: II

XV. Regulatory Information:

All ingredients are listed on the TSCA inventory.

This material is subject to the reporting requirements of Section 313 of SARA Title III and 40 CFR Part 373.

XVI. Other Information:

Using this product under normal, properly instructed procedures should not be hazardous.

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, expressed or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular purposes.