MSDS - Material Safety Data Sheet

Product Name: Cyano-Shot Latent Developing System

EVIDENT, INC. 1-800-576-7606

www.EvidentCrimeScene.com

MSDS No.: CNA3000 contact@evident.cc

I. Basic In	formation:							
Manufacturer: Sirchie Finger Print Laboratories				١	IFPA Fire			
Address: 100 Hunter Place					2	\		
City, ST Zip: Youngsville, NC 27596				F	lealth 2	Reastivity 1		
Emergency C	contact: ChemTrec			·	\ / \			
Emergency T	elephone Number: 800-424-9300				Specja	/		
Contact: Ted	ch Support				3692	'		
Information Telephone Number: 919-554-2244					2 Health			
Last Update: 01/26/2011 Expiration Date:				2 Flammability				
Chemical State: X Liquid Gas Solid				1 Reactivity				
Chemical Type: Pure X Mixture				L	H Pers. P	rotection		
II. Ingredi	ents:							
Trade Se	cret $(N/D = Not Disclosed)$							
		EH	IS IAF		A C C			
CAS No.	Chemical Name	% Range	NTP	313 SUB Z	OSHA PEL	ACGIH TLV	Other Limits	
7085850	Ethyl cyanoacrylate	95-100			4 ppm	4 ppm	2 ppm	
9011147	Poly(methyl methacrylate)	3-5			NE	NE		
III. Hazar	dous Identification:							
Hazard Categ	gory:							
X Acut	te X Chronic	Fire		Pressure		Reactive		
	lentification Information: ry tract irritant. Skin irritant. Bond	s skin rapidly and stror	ngly. May c	ause skin buri	ns. Eye irrita	nt.		
IV. First A	1id Measures:							
Route(s) of E	intry:							
Inhalation	, ingestion, skin, eyes							
Health Hazar	ds (Acute and Chronic):							
Signs and Sy	mptoms:							
Prolonged	d and repeated overexposure to va	pors may produce sym	ptoms of no	on-allergic ast	hma in sensi	tive individua	ıls.	
Medical Cond	ditions Generally Aggravated by Ex	posure:						
	respiratory diseases							
Emergency a	nd First Aid Procedures:							

Page 2 of 4 Wednesday, January 26, 2011

MSDS - Material Safety Data Sheet

Product Name: Cyano-Shot Latent Developing System

MSDS No.: CNA3000

Inhalation: Remove to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen (To be administered by qualified medical personnel only!) Get medical attention.

Ingestion: Ingestion is not likely. See supplemental page.

Skin: Soak in warm water. See supplemental page.

Eyes: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower lids. Do not allow victim to rub or keep eyes closed. Get medical aid immediately. See supplemental page.

Other Health Warnings:

V. Fire Fighting Measures:

Flash Point: 150-200 F Lower Explosive Limit: NE Upper Explosive Limit: NE

F.P. Method:

Fire Extinguishing Media: Carbon dioxide, foam, dry chemical

Special Fire Fighting Procedures:

Wear self-contained breathing apparatus and protective clothing.

Unusual Fire and Explosion:

VI. Accidental Release Measures:

Steps to be Taken in Case Material is Released or Spilled:

Flood with water to polymerize. Remove all ignition sources (heat, open flame, spark). Soak up with inert absorbent material (do not use flammable substances such as sawdust). Dispose according to local, state, and federal regulations.

VII. Handling and Storage:

Precautions to be Taken:

Keep in closed container. Store at or below 75 F. Avoid incompatible materials. Use only in well-ventilated areas. Avoid contact with skin and eyes. Avoid breathing vapors. Wash thoroughly after handling.

Other Precautions:

VIII. Exposure Controls/Personal Protection:

Ventilation Requirements:

Use only in well-ventilated areas.

Personal Protective Equipment:

Safety goggles, vapor respirator, nitrile or polyethylene gloves and aprons (no cotton)

Page 3 of 4 Wednesday, January 26, 2011

MSDS - Material Safety Data Sheet

Product Name: Cyano-Shot Latent Developing System

MSDS No.: CNA3000

IX. Physical and Chemical Properties:

Boiling Point: >300 F Melting Point: NE

Evaporation Rate (Butyl Acetate = 1): NE Vapor Pressure (mm Hg.): <0.2

Specific Gravity (H20 = 1): Vapor Density (AIR = 1): ~3

Solubility In Water: Polymerized by water Appearance and Odor: *

Other Information: * Appearance & Odor: Clear liquid; sharp, irritating odor

X. Stability and Reactivity:

Stability:

Stable

Incompatibility (Materials to Avoid):

Water, alcohols, amines, alkalies, ignition sources (heat, open flame, spark)

Decomposition/By Products:

Irritating organic fragments

Hazardous Polymerization:

Does not occur.

XI. Toxicological Information:

Non-toxic

Respiratory tract irritant. Skin irritant. Bonds skin rapidly and strongly. May cause skin burns. Eye irritant.

XII. Ecological Information:

Prevent from entering sewers or waterways.

XIII. Disposal Considerations:

Polymerize as above. Incinerate according to local, state, and federal regulations.

XIV. Transport Information:

Keep in closed container. Transport at or below 75 F. Avoid incompatible materials. Avoid contact with skin and eyes. Avoid breathing vapors. Wash thoroughly after handling.

IATA

Shipping name: Adhesives

Hazard class: 3 UN no.: 1133 Packing group: III Flammable liquid

XV. Regulatory Information:

Page 4 of 4 Wednesday, January 26, 2011

MSDS - Material Safety Data Sheet

Product Name: Cyano-Shot Latent Developing System

MSDS No.: CNA3000

XVI. Other Information:

See attached supplemental page for more information on treatment for adhesion of human skin by cyanoacrylate adhesives.

Using this product under normal, properly instructed procedures should not be hazardous.

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, expressed or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular purposes.

INFORMATION FOR FIRST AID AND CASUALTY ON TREATMENT FOR ADHESION OF HUMAN SKIN TO ITSELF IF CAUSED BY CYANOACRYLATE ADHESIVES

Cyanoacrylate adhesive is a very fast setting and strong adhesive. It bonds human tissue including skin in seconds. Experience has shown that accidents due to cyanoacrylates are handled best by passive, nonsurgical first aid. Treatment of specific accidents are given below.

SKIN CONTACT

Remove excess adhesive. Soak in warm, soapy water. The adhesive will come loose from the skin in several hours. Cured adhesive does not present a health hazard when bonded to the skin.

Avoid contact with clothes, fabrics, rags or tissue. Contact with these materials will cause polymerization. The polymerization of large amounts of adhesive will generate heat and smoke, skin burns, and strong, irritating vapors. Wear nitrile or polyethylene gloves and apron when handling large amounts of sdhesive.

SKIN ADHESION

First, immerse the bonded surfaces in warm, soapy water. Peel or roll the surfaces apart with the aid of a blunt edge, e.g., a spatula or a teaspoon handle; then remove adhesive from skin with soap and water. Do not try to pull the surfaces apart with a direct opposing action.

EYELID TO EYELID OR EYEBALL ADHESION

In the event that eyelids are stuck together or bonded to the eyeball, wash thoroughly with warm water and apply a guaze patch. The eye will open without further action, typically in 1-4 days. There will be no residual damage. Do not try to open the eyes by manipulation.

ADHESIVE ON THE EYEBALL

Cyanoacrylate introduced into the eyes will attach itself to the eye protein and will disassociate from it over intermittent periods, generally covering several hours. This will cause periods of weeping until clearance is achieved. During the period of contamination, double vision may be experienced together with a lachrymatory effect, and it is important to understand the cause and realize that disassociation will normally occur within a matter of hours, even with gross contamination.

MOUTH

If lips are accidently stuck together, apply lots of warm water to the lips and encourage wetting and pressure from saliva inside the mouth. Peel or roll the lips apart. Do not try to pull the lips with opposing action.

It is almost impossible to swallow cyanoacrylate. The adhesive solidifies and adheres in the mouth. Saliva will lift the adhesive in one half to two days. In case a lump forms in the mouth, position the patient to prevent ingestion of the lump when it detaches.

BURNS

Cyanoacrylate gives of heat on solidification. In rare cases a large drop will increase in temperature enough to cause a burn. Burns should be treated normally after the lump of cyanoacrylate is released from the tissue as described above.

SURGERY

It should never be necessary to use such a drastic method to separate accidentally bonded skin.