Material Safety Data Sheet "MBD" PREMIX

| | SECT | ION 1- | IDENTITY | | | |
|--|---|---|--------------------------------------|-------------------------------------|---------------|--|
| NAME | | ADDRESS | | | | |
| Evident Crime Scene Products | ent Crime Scene Products 739 Brooks Mill Ro | | | oad, Union Hall, VA 24176 | | |
| TELEPHONE | FOR ADDITIONAL INFORMATION CONTACT: | | | DATE PREPARED: | | |
| 800-576-7606 Technical Support COMMON NAME (USED ON LABEL) | | | | January 1, 2010 CHEMICAL FAMILY: | | |
| "MBD" premix | | | N/A (Chemical mixture) | | | |
| CHEMICAL NAME: | FORMULA: TRADE NAME & SYNONYMS: | | | | | |
| Does Not Apply | Does not apply | | | | | |
| SECTION 2- HAZARDOUS INGREDIENTS | | | | | | |
| COMPONENT | | | CAS# | TLV | PEL | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| METHANOL | | | 67-56-1 | 260 ppm | 260 ppm | |
| ACETONITRILE | | | 75-05-8 | 40 ppm | 40 ppm | |
| 2- PROPANOL | | | 67-63-0 | 500 ppm | 400 ppm | |
| HEPTANE | | | 142-82-5 | 400 ppm | 400 ppm | |
| METHYLCYCLOHEXANE | | | 108-87-2 | 400 ppm | 400 ppm | |
| | | | | | | |
| PEL: Permissible Exposure Limit established by Occupational Safety and Health Administration TLV: Threshold Limit Value established by the American Conference of Governmental Industrial Hygienists | | | | | | |
| PHYSICAL DATA | | | | | | |
| BOILING POINT: | SPECIFIC GRAVITY: | | | | | |
| 200F(Heptane) | 0.699 @ 60F (Heptane) | | 45 PSI @ 50C (Heptane) 3.4 (Heptane) | | | |
| PERCENT VOLATILE (VOL) 95%+ | SOLUBILITY (WATER) 90%+ | ATER) REACTIVITY IN WATER: EVAPORATION RATE: High | | | | |
| APPEARANCE AND ODOR: Red-colored liquid | | | | | | |
| SECTION 4- FIRE AND EXPLOSION DATA | | | | | | |
| FLASH POINT: AUTO IGNITION TEMPERATURE FLAMMABLE LIMITS IN AIR (% by VOLUME) | | | | | | |
| 15F (Heptane) | 475F (Heptane) | | LOWER: 1% (Hepta | | 7 % (Heptane) | |
| EXTINGUISHING MEDIA: | | | | | | |
| Carbon Dioxide, Dry Chemical, water mist, UNUSUAL FIRE AND EXPLOSION HAZARDS: | | | | | | |
| Emits toxic fumes under fire conditions | | | | | | |
| SPECIAL FIRE FIGHTING PROCEDURES: | | | | | | |
| Wear self-contained breathing apparatus and protective clothing | | | | | | |
| CONTINUED ON REVERSE SIDE | | | | | | |
| The above information is believed to be correct, but does not purport to be all inclusive and shall be used only as a quide, Evident Crime Scene | | | | | | |
| Products & Crime Scene Supply Incorporated shall not be held liable for any damage or injury to any party, or second party, or bystander resulting | | | | | | |
| from the use, handling, or from contact with the above product | | | | | | |

MSDS PAGE 2 "MBD" PREMIX MSDS PAGE 2

SECTION 5- HEALTH INFORMATION

PRIMARY ROUTES OF EXPOSURE

Inhalation, ingestion, or absorption through skin

SIGNS & SYMPTOMS OF EXPOSURE

1: ACUTE OVEREXPOSURE:

May cause eye, skin, or respiratory irritation, light headedness, ACETONITRILE IS EXTREMELY TOXIC

2: CHRONIC OVEREXPOSURE:

Can Cause Death- ACETRONITRILE IS EXTREMELY TOXIC

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:

May cause eye, skin, or respiratory irritation

CHEMICAL /COMPONENT LISTED AS CARCINOGEN OR POTENTIAL CARCINOGEN:

CHLOROFORM IS A SUSPECTED CARCINOGEN

OTHER EXPOSURE LIMITS:

Not established

EMERGENCY & FIRST AID PROCEDURES:

EYES: Flush with cool tap water for at least 15 minutes

SKIN: Wash thoroughly with warm water

RESPIRATORY: Remove to fresh air, if distress continues, administer oxygen and contact physician`

INGESTION: Drink large amounts of water. CONTACT PHYSICIAN

IN ALL CASES CONTACT PHYSICIAN OR NEAREST POISON CONTROL CENTER

SECTION 6- REACTIVITY DATA

STABILITY: CONDITIONS TO AVOID:

Stable High Temperatures, Sources of ignition, Open flame

INCOMPATIBILITY (MATERIALS TO AVOID):

Strong Oxidizing agents, Acids, Halogens, Aluminum

HAZARDOUS DECOMPOSITION PRODUCTS:

Carbon Monoxide and Carbon Dioxide on combustion

HAZARDOUS POLYMERIZATION:
Will not occur

CONDITIONS TO AVOID (POLYMERIZATION)

Not applicable for polymerization

SECTION 7- SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS LEAKED OR SPILLED:

Eliminate all sources of ignition. Wear protective equipment. For small spills, absorb on paper towels or activated charcoal, evaporate in fume hood. Burn the absorbed material in an incinerator. If dry- clean up spill in a manner which minimizes dust spread.

WASTE DISPOSAL METHOD:

Dispose of wastes in accordance with current Federal, State, and Local codes and guidelines.

SECTION 8- PERSONAL PROTECTION INFORMATION

RESPIRATORY PROTECTION:

NIOSH/MSHA Approved Organic Vapor Respirator

VENTILATION:

Chemical fume hood and adequate room ventilation is expected to be adequate except during spills or fires.

PROTECTIVE GLOVES:

Chemical resistant gloves

EYE PROTECTION:

Suggested when the potential of splashes or contact with the eyes or face is possible

OTHER PROTECTIVE CLOTHING OR EQUIPMENT:

An eye wash fountain and safety shower should be readily available where the potential for splashes or eye contact with the reagent exists

SECTION 9- SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:

Store and handle according to package and MSDS directions. Store in cool, well-ventilated area. Keep away from reactive materials and away from fire hazard or source of ignition.

OTHER PRECAUTIONS:

Do not ingest, get in eyes, on skin, or on clothing. Avoid breathing dust or vapor. Wash thoroughly after handling. It is suggested that this mixture be applied by flooding, brushing, or dipping- avoid spraying. HIGHLY FLAMMABLE

TRANSPORTATION

Shipping Name: Heptane Solution Hazard Class: 3 UN# 1206 Packing Group: II Flammable Liquid

The above information is believed to be correct, but does not purport to be all inclusive and shall be used only as a guide, Evident Crime Scene Products & Crime Scene Supply Incorporated shall not be held liable for any damage or injury to any party, or second party, or bystander resulting from the use, handling, or from contact with the above product.