THIS FILE CONTAINS 2 MSDS, FOR THE BASE AND HARDENER, FOR A TOTAL OF 9 PAGES

# **Date of print:** 2006-05-04

Version: 1.0 - English

KJELL CARLSSON INNOVATION Research and Development

#### Product name: MIKROSIL, base (brown, white, black, gray)

#### 1. IDENTIFICATION OF THE SUBSTANCE AND OF THE COMPANY

- 1.1 Identification of the substance:
- 1.1.1 Commercial Product name:
- 1.1.2 Use

Silicones Mikrosil Forensic use EVIDENT, INC. 739 BROOKS MILL RD UNION HALL, VA 24176 540-576-3512 contact@evident.cc www.EvidentCrimeScene.com

1.2 Company / undertaking identification: Manufacturer / distributor: Street / POB.no: State / postal code / city: Contry: Telephone: Telefax: Web:

Kjell Carlsson Innovation Rinkebyvägen 18 S-17237 Sundbyberg Sweden +46 8 280784 +46 8 288074 www.carlssoninnovation.com

#### 2. COMPSITION / INFORMATION ON INGREDIENTS

CAS number: 63148-62-9	Chemical name: Polydimethylsiloxane	EINECS-no.:	Conc % Symbols R-phrases < 80
1309-37-1	Iron Oxid	215-168-2	< 15
13463-67-7	Titanjum Dioxide		< 15

#### **3. HAZARDS IDENTIFICATION**

- 3.1 POTENTIAL HEALTH EFFECTS: Avoid eye contact, may cause irritation.
- 3.2 POTENTIAL ENVIRONMENTAL EFFECTS: No significant environmental hazards in normal use. No hazard classification according to EEC-directive.
- 3.3 FIRE- & EXPLOSION HAZARDS: Not applicable in normal use.

#### 4. FIRST AID MEASURES

- 4.1 INAHALATION: If symptomatic, move to fresh air.
- 4.2 SKIN CONTACT: Remove mechanically with a rag. Wash skin with plenty of water and mild soap, if necessary use a waterfree skin cleaning agent.
- 4.3 EYE CONTACT: Flush with plenty of water, occasionally lifting the lower and upper lids. Get medical attention if symptoms occur.
- 4.4 INGESTION: Contact a physician.

**Date of print:** 2006-05-04

Version: 1.0 - English

KJELL CARLSSON INNOVATION Research and Development

## Product name: MIKROSIL, base (brown, white, black, gray)

#### 5. FIRE FIGHTING MEASURES

- 5.1 EXTINGUISHING MEDIA: Dry chemical, foam, CO2, sand, water fog.
- 5.2 INCOMPATIBLE EXTINGUISHING MEDIA which must not be used for safety reasons: Water jet.
- 5.3 FIRE- & EXPLOSION HAZARDS: Not applicable in normal use.
- 5.4 SPECIAL PROTECTIVE EQUIPMENT: Not applicable in normal use.

#### 6. ACCIDENTAL RELEASE MEASURES

Avoid the product to come direct into any sewer or public waterway. Collect with liquid binding, non-burning material, soil, sand or similar in disposal containers.

In case of large spillage contact the local authority.

#### PERSONAL PRECAUTIONS: SEE POINT 8.

#### 7. HANDLING AND STORAGE

- 7.1 HANDLING: Good industrial hygiene should be followed. Avoid contact with skin and eyes. Provide appropriate exhaust ventilation at machinery.
- 7.2 STORAGE: Store in original closed containers at a dry place.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

- 8.1 PREVENT MEASURES: Possibility to wash the eye at the place of work. Provide appropriate exhaust ventilation at machinery.
- 8.2 RESPIRATORY: Not required.
- 8.3 EYE PROTECTION: If any risk of splash or direct contact shall safety glasses be used.
- 8.4 HAND PROTECTION: Protective gloves. Wear chemical resistant gloves such as: Natural latex, PVC, Nitrile rubber (NBR).
- 8.5 SKIN PROTECTION: Wear protective clothing if necessary.
- 8.6 HYGIENIC MEASURES: Smoking,eating and drinking should be prohibited in the application area.

**Date of print:** 2006-05-04 Ver

Version: 1.0 - English

KJELL CARLSSON INNOVATION Research and Development

# Product name: MIKROSIL, base (brown, white, black, gray)

### 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 PRODUCT DESCRIPTION: Form: Color:

Odor:

Paste Brown, white, black, gray No odor

Density (kg/m3) Solubil in water Flash Point(°C) Explosion Properties (°C) Viscosity ~1,25 g/cm<sup>3</sup> Measuring Temp. (°C) 20 °C Insoluble >250°C (DIN 51376) >450°C (DIN 51794)

=15000 mPas

## 10. STABILITY AND REACTIVITY

- 10. 1 STABILITY: Stable under normal conditions. Avoid temperature above 100°C.
- 10.2 HAZARDOUS DECOMPOSITION PRODUCTS: Unknown

## 11. TOXICOLOGICAL INFORMATION

11.0 GENERAL iNFORMATION: Under the EC-guideline for classification and labelling of preparations, the product is not to be labelled. According to our present experience and the informations we have to hand, the product shows no health risk if handled and applied appropriately.

## 12. ECOLOGICAL INFORMATION

According to our present experience and the informations we have to hand, the product shows no ecotoxicological effects. Do not empty the undiluted product or larger amounts of it into drains. Avoid release to in-shore waters or ground water.

#### 13. DISPOSAL CONSIDERATIONS

Disposal must be made according to the official regulations. Used waste products, surplus products or spillage products shall be disposed of in accordance with national and local laws. It is up to the user to classify the waste correctly prior to disposal.

Material Safety Data Sheet				
<b>Date of print:</b> 2006-05-04	Version: 1.0 - Englis	sh		KIELL CARLSSON INNOVATION
Product name: MIKROSIL, base (brown, white, black, gray)				
14. TRANSPORT INFORMATION				
Classified as hazardous for transport.	Yes	X No	🗌 N	ot Assessed
15. REGULATORY INFORMATION				
CLASSIFICATION:				
Hazardous chemical product Chemical product harmful to the environment Flammable chemical product	Symbol Symbol Symbol		Not regula Not regula Not regula	ted.
16. OTHER INFORMATION				

Information is most current known to Kjell Carlsson Innovation at the time of preparation and is believed to be accurate. However no warranties are made with respect to this information and Kjell Carlsson Innovation assumes no liability resulting from use. Make independent determinations of the suitability and completeness of information from all sources, to assure proper use and disposal of this product and personnel safety and health. Data for each component is specified where applicable as mixtures have not been tested.

**Date of print:** 2006-10-06

Version: 1.0 - English

KJELL CARLSSON INNOVATION Research and Development

## Product name: MIKROSIL, Hardener

#### 1. IDENTIFICATION OF THE SUBSTANCE AND OF THE COMPANY

- 1.1 Identification of the substance:
- 1.1.1 Commercial Product name:
- 1.1.2 Use

Mikrosil, hardener Forensic use

1.2 Company / undertaking identification: Manufacturer / distributor: Street / POB.no: State / postal code / city: Contry: Telephone: Telefax: Web:

Kjell Carlsson Innovation Rinkebyvägen 18 S-17237 Sundbyberg Sweden +46 8 280784 +46 8 288074 www.carlssoninnovation.com

#### 2. COMPSITION / INFORMATION ON INGREDIENTS

- 2.1 Chemical characterisation: Silicon-tin-compound with auxiliary matters, fillers and pigment.
- 2.2 Substances presenting a health hazard: Alkyl silicate Concentration: < 20%

## **3. HAZARDS IDENTIFICATION**

- 3.1 POTENTIAL HEALTH EFFECTS: Avoid eye contact, may cause irritation.
- 3.2 POTENTIAL ENVIRONMENTAL EFFECTS: No significant environmental hazards in normal use. Avoid release of larger amounts to the environment.
- 3.3 FIRE- & EXPLOSION HAZARDS: Not applicable in normal use.

## 4. FIRST AID MEASURES

- 4.1 INAHALATION: If symptomatic, move to fresh air.
- 4.2 SKIN CONTACT: Remove mechanically with a rag. Wash skin with plenty of water and mild soap.
- 4.3 EYE CONTACT: Flush with plenty of water, occasionally lifting the lower and upper lids. Get medical attention if symptoms occur.
- 4.4 INGESTION: Contact a physician.

Date of print: 2006-10-06 Version: 1.0 - English

KJELL CARLSSON INNOVATION Research and Development

### Product name: MIKROSIL, Hardener

#### 5. FIRE FIGHTING MEASURES

- 5.1 EXTINGUISHING MEDIA: Dry chemical, foam, CO2, sand, water fog.
- 5.2 INCOMPATIBLE EXTINGUISHING MEDIA which must not be used for safety reasons: Water jet.
- 5.3 FIRE- & EXPLOSION HAZARDS: Protect against naked flames. Do not breathe combustion gases.
- 5.4 SPECIAL PROTECTIVE EQUIPMENT: Not applicable in normal use.

#### 6. ACCIDENTAL RELEASE MEASURES

- 6.1 PERSONAL PRECAUTIONS: Avoid exposure. Information: SEE POINT 8
- 6.2 ENVIRONMENTAL PRECAUTIONS: Avoid release to the environment. In case of large spillage contact the local authority.
- 6.3 METHODS FOR CLEANING UP: Absorb with liquid binding material (sand, diatomaceous earth, small amounts with wood pulp).

#### 7. HANDLING AND STORAGE

7.1 HANDLING: Precautions for safe handling: Precautions against fire and explosion:

Avoid contact with eyes, skin and clothing. No special measures required.

7.2 STORAGE: Conditions for storage rooms and vessels:

No special conditions.

 $170 \text{ mg/m}^3 = 20 \text{ ppm}$ 

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Further information for system design and engineering measures: -

8.2 Associate substance with specific control parameters such as limit values: Substance mg/m<sup>3</sup>

Alkyl silicate

8.3 Personal protection equipment: General protection and hygiene measures: Respiratory protection: Hand protection: Eye protection: Body protection:
8.3 Personal protection equipment: The usual precautions in handling with chemicals are to be observed. Not required. Protective gloves of nitrile are recommended. Protective glasses are not strictly necessary. No special measures required.

**Date of print:** 2006-10-06

#### Version: 1.0 - English

KJELL CARLSSON INNOVATION Research and Development

# Product name: MIKROSIL, Hardener

## 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 PRODUCT DESCRIPTION: Form: paste Colour: blue Odour: characteristic

Safety parameters:	
Change in physical state:	n.a.
Melting point:	n.a.
Flash point:	n.a.
Inflammability:	n.a.
Ignition temperature:	n.a.
Autoflammability:	The product is not autoinflammable.
Oxidising properties:	n.a.
Explosive properties:	The product is not explosive.
Vapour pressure:	n.a.
Density:	approx. 1.0 g/cm <sup>3</sup> at 20°C / 68°F
Solubility in water:	virtually insoluble
pH-value:	n.a.
Distribution coefficient octanol / water:	
Viscosity:	$> 80\ 000\ \text{mPa.s}$ at 23°C / 73°F Brookfield

#### **10. STABILITY AND REACTIVITY**

10.1	Conditions to avoid:	If stored and handled in accordance with standard industrial practices no hazardous reactions are known.
10.2	Materials to avoid:	Unknown

10.3 Hazardous decomposition products: Unknown

## 11. TOXICOLOGICAL INFORMATION

11.0 GENERAL iNFORMATION: Under the EC-guideline for classification and labelling of preparations, the product is not to be labelled. According to our present experience and the informations we have to hand, the product shows no health risk if handled and applied appropriately.

11.1	ACUTE TOXICITY Acute oral toxicity (LD <sub>50</sub> ):	species rat origin literature, these dat	6270 mg/kg ta refer to the alkyl silicate components.
	Acute cutaneous toxicity $(LD_{50})$ :	species rabbit origin literature, these dat	5878 mg/kg ta refer to the alkyl silicate components.
	Acute inhalational toxicity $(LC_{L0})$ :	species guinea-pig	100 ppm/4 h 700 ppm/6 h ta refer to the alkyl silicate components

#### Material Safety Data Sheet Date of print: 2006-10-06 Version: 1.0 - English 1 1 KJELL CARLSSON INNOVATION Product name: MIKROSIL, Hardener **12. ECOLOGICAL INFORMATION** 12.1 Information on elimination (persistence and degradability): No data known. Further information: 12.2 Behaviour in environmental compartments: No data known. 12.3 Ecotoxicological effects: Possible adverse effects in the aquatic environment: WGK 2 (autoclassification). 12.4 General information: Do not empty the undiluted product or larger amounts of it into drains. Avoid release to in-shore waters or ground water.

# 13. DISPOSAL CONSIDERATIONS

Disposal must be made according to the official regulations. Used waste products, surplus products or spillage products shall be disposed of in accordance with national and local laws. European Waste Catalogue Ref. No.: 18 01 07 (AVV) It is up to the user to classify the waste correctly prior to disposal.

# 14. TRANSPORT INFORMATION

14.1	Land transportation ADR/RDI and GGVS/GGVE:			
	GGVS/GGVE-class:	Non-hazardous material		
	ADR/RID-class:	Non-hazardous material		
	Transportation emergency	y card number:		
	Warning board - Hazard No:			
	Nomenclature:	-		
	Further information:	-		
	Limited Quantities:	-		
14.2	Inland navigation ADN/ADNR:			
	Further information:	Non-hazardous material		
14.3	3 Transportation by sea IMDG/GGVsea:			
14.5	IMDG/GGVsea-class:			
	EmS-No:			
	Marine pollutant:			
	Proper shipping name:			
	Technical name:			
	LTD. QTY.:			
	LID. QI I	-		
14.4	Air transportation ICAO-TI and IATA-DGR transportation by air:			
	ICAO/IATA-class:	Non-hazardous material		
	Proper shipping name:	-		
	Technical name:	-		
	Further information:	-		
	Air mail transportation:	Permitted		

Date of print: 2006-10-06 Version: 1.0 - English

KJELL CARLSSON INNOVATION Research and Development

# Product name: MIKROSIL, Hardener

## 15. REGULATORY INFORMATION

- 15.1 IDENTIFICATION ACCORDING TO EEC DIRECTIVES: Under the EC-guidelines/Hazardous Materials Act the product is **not** to be labelled.
- 15.2 NATIONAL REGULATIONS: Classification of possible adverse effects in the aquatic environment (Wassergefährdungsklasse): WGK 2 (autoclassification).

## 16. OTHER INFORMATION

Information is most current known to Kjell Carlsson Innovation at the time of preparation and is believed to be accurate. However no warranties are made with respect to this information and Kjell Carlsson Innovation assumes no liability resulting from use. Make independent determinations of the suitability and completeness of information from all sources, to assure proper use and disposal of this product and personnel safety and health. Data for each component is specified where applicable as mixtures have not been tested.

n.a. = not applicable n.s. = not subject to