MSDS - Material Safety Data Sheet

Product Name: EVIDENT Dual Contrast Fine Magnetic Fingerprint Powder

I. Basic In	nformation:								
Manufacturer: EVIDENT					NFPA Fire 1				
Address: 739 Brooks Mill Rd					H <	ealth 1	Reastivity 0		
City, ST, ZIP: Union Hall, VA 24176						\setminus / \setminus	\checkmark		
Telephone: 800-576-7606						Special			
Contact: Technical Support					Г	4 11 61			
Last Update: 01/31/2011 Expiration Date: Chemical State:					 1 Health 1 Flammability 0 Reactivity E Pers. Protection 				
II. Ingred	lients:								
Trade Secret EHS IARC SARA									
CAS No.	Chemical Name		% Range	NTP	313 SUB Z	OSHA PEL	ACGIH TLV	Other Limits	
7439896	Iron compound		>98.5	<u> </u>		10mg/m3	5mg/m3	2,795 F	
III. Haza	rdous Identificat	ion:							
Hazard Cate	gory:								
X Acute X Chronic			Fire		Pr	essure	Reactive		
May be h	dentification Inform	nation: ed. Respiratory tract i	rritant. Skin and e	ye irritant.					
Route(s) of Inhalation	n, ingestion, skin, e	eyes.							
Health Haza	rds (Acute and Chr	onic):							
	kin and eye irritatio Siderosis	n.							
Signs and S	ymptoms:								
Eyes: Inf	lammation, rednes	s, watering, itching.							
Medical Cor	nditions Generally A	Aggravated by Exposu	re:						
Skin, eye	e, respiratory								
Emergency	and First Aid Proce	dures:							

Page 2 of 4 Monday, January 31, 2011

MSDS - Material Safety Data Sheet

Product Name: EVIDENT Dual Contrast Fine Magnetic Fingerprint Powder

Inhalation: Remove to fresh air. If breathing becomes difficult, give oxygen (To be administered by qualified medical personnel only!) If breathing stops, perform artificial respiration. Seek medical attention.

Ingestion: If victim is conscious and alert, give large quantities of water or milk. (Never give anything by mouth to an unconscious person!) Induce vomiting. Lower the head so that the vomit will not re-enter the mouth and throat. Seek medical attention.

Skin: Wash with soap and water. If irritation occurs, seek medical attention.

Eyes: Rinse with plenty of water for 15 minutes and seek medical attention.

Other Health Warnings:

None

V. Fire Fighting Measures:

Flash Point: N/E Lower Explosive Limit: 0.035 Upper Explosive Limit: N/E

F.P. Method:

Fire Extinguishing Media: Dry Chemical, sand, graphite, sodium chloride--DO NOT USE WATER!

Special Fire Fighting Procedures:

Wear self-contained breathing apparatus and protective clothing.

Unusual Fire and Explosion:

Can pose dust explosion hazard if dispersed in air. may react with water to form combustible hydrogen gas.

VI. Accidental Release Measures:

Steps to be Taken in Case Material is Released or Spilled:

Wear dust respirator, safety goggles, and rubber gloves. Sweep up and place in bag or vacuum up with proper filter equipped instrument. Avoid creating dust. Ventilate and wash spill site after collecting solid. Dispose according to local, state, and federal regulations.

VII. Handling and Storage:

Precautions to be Taken:

Keep in closed container. Avoid incompatible materials. Use only in well-ventilated areas. Avoid dust generation and accumulation. Wash thoroughly after handling.

Caution: Wear of safety goggles is recommended when handling this product.

Other Precautions:

VIII. Exposure Controls/Personal Protection:

Ventilation Requirements:

Use only in well-ventilated areas or with fume hood.

Personal Protective Equipment:

Safety goggles, gloves, dust respirator.

MSDS - Material Safety Data Sheet

Product Name: EVIDENT Dual Contrast Fine Magnetic Fingerprint Powder

IX. Physical and Chemical Properties:

Boiling Point: 3,000 F **Melting Point**: 1,535 F

Evaporation Rate (Butyl Acetate = 1): N/A Vapor Pressure (mm Hg.): 1

Specific Gravity (H20 = 1): Vapor Density (AIR = 1): N/A

Solubility In Water: Insoluable Appearance and Odor: Silver/gray powder, odorless

Other Information:

X. Stability and Reactivity:

Stability:

Normally stable.

Incompatibility (Materials to Avoid):

Low reactivity with acids.

Decomposition/By Products:

None identified.

Hazardous Polymerization:

Will not occur.

XI. Toxicological Information:

Prolonged inhalation of iron oxide dust is known to produce a condition known as siderosis. On x-rays, it appears to be a benign pneumoconiosis, and is not associated with pulmonary fibrosis or disability unless there is concurrent exposure to other fibrosis-producing materials such as silica. The TLV is set to protect against siderosis.

XII. Ecological Information:

No data on ecological effects of this product have been developed.

XIII. Disposal Considerations:

Dispose of according to local, state, and federal regulations.

XIV. Transport Information:

Not regulated

XV. Regulatory Information:

Not regulated.

XVI. Other Information:

Using this product under normal, properly instructed procedures should not be hazardous.

MSDS - Material Safety Data Sheet

Product Name: EVIDENT Dual Contrast Fine Magnetic Fingerprint Powder

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, expressed or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular purposes.