Page 1 of 4 Monday, January 31, 2011

MSDS - Material Safety Data Sheet

Product Name: Modified Mecke's Reagent for Heroin (Ampoule 1)

MSDS No.: NARK20011A

Emergency and First Aid Procedures:

EVIDENT, INC. 1-800-576-7606 www.EvidentCrimeScene.com

I. Basic Information:					evident.cc	
Manufacturer: Sirchie Finger Print Laboratories			N	FPA Fire		
Address: 100 Hunter Place				1	X	
City, ST Zip: Youngsville, NC 27596			H	≱alth 1 2	Reastivity 1	
Emergency Contact: ChemTrec				\setminus / \setminus	./	
Emergency Telephone Number: 800-424-9300				ACD Specjal	Y	
Contact: Tech Support				Special		
Information Telephone Number: 919-554-2244			[:	2 Health		
Last Update: 01/31/2011 Expiration Date:			•	1 Flammab	oility	
Chemical State: X Liquid Gas	Solid			1 Reactivit	ty	
Chemical Type: X Pure Mixture			LI.	H Pers. Pro	otection	
II. Ingredients:						
Trade Secret						
	EI	HS IAI I	RC SAR <i>A</i> I 313	N OSHA	ACGIH	Other
			313	00117		
CAS No. Chemical Name	% Range	NTP	SUB Z	PEL	TLV	Limits
CAS No. Chemical Name 7664939 Sulfuric acid		L I			TLV 1 mg/m3	Limits 554 F
7664939 Sulfuric acid III. Hazardous Identification:		1	SUB Z	PEL		
7664939 Sulfuric acid III. Hazardous Identification: Hazard Category:	95-98	X)	SUB Z	PEL		
7664939 Sulfuric acid III. Hazardous Identification:		X)	SUB Z X	PEL	1 mg/m3	
7664939 Sulfuric acid III. Hazardous Identification: Hazard Category: X Acute X Chronic Hazardous Identification Information: Strong oxidizer. Corrosive. Harmful if inhaled or possible severe burns. Causes severe skin and	95-98 X Fire x swallowed. May eye burns.	cause seve	SUB Z (X Pro	PEL 1 mg/m3 essure and digestive t	1 mg/m3 X tract irritation	554 F
7664939 Sulfuric acid III. Hazardous Identification: Hazard Category: X Acute X Chronic Hazardous Identification Information: Strong oxidizer. Corrosive. Harmful if inhaled on	95-98 X Fire x swallowed. May eye burns.	cause seve	SUB Z (X Pro	PEL 1 mg/m3 essure and digestive t	1 mg/m3 X tract irritation	554 F
7664939 Sulfuric acid III. Hazardous Identification: Hazard Category: X Acute X Chronic Hazardous Identification Information: Strong oxidizer. Corrosive. Harmful if inhaled or possible severe burns. Causes severe skin and This material is subject to the reporting requirem	95-98 X Fire x swallowed. May eye burns.	cause seve	SUB Z (X Pro	PEL 1 mg/m3 essure and digestive t	1 mg/m3 X tract irritation	554 F
7664939 Sulfuric acid III. Hazardous Identification: Hazard Category: X Acute X Chronic Hazardous Identification Information: Strong oxidizer. Corrosive. Harmful if inhaled or possible severe burns. Causes severe skin and This material is subject to the reporting requirem IV. First Aid Measures: Route(s) of Entry:	95-98 X Fire x swallowed. May eye burns.	cause seve	SUB Z (X Pro	PEL 1 mg/m3 essure and digestive t	1 mg/m3 X tract irritation	554 F
7664939 Sulfuric acid III. Hazardous Identification: Hazard Category: X Acute X Chronic Hazardous Identification Information: Strong oxidizer. Corrosive. Harmful if inhaled or possible severe burns. Causes severe skin and This material is subject to the reporting requirem IV. First Aid Measures: Route(s) of Entry: Inhalation, ingestion, skin, eyes Health Hazards (Acute and Chronic):	95-98 T Swallowed. May eye burns. nents of Section 31	cause seve	SUB Z X Pre re respiratory a	PEL 1 mg/m3 essure and digestive t	1 mg/m3 X tract irritation	554 F
7664939 Sulfuric acid III. Hazardous Identification: Hazard Category: X Acute X Chronic Hazardous Identification Information: Strong oxidizer. Corrosive. Harmful if inhaled or possible severe burns. Causes severe skin and This material is subject to the reporting requirem IV. First Aid Measures: Route(s) of Entry: Inhalation, ingestion, skin, eyes Health Hazards (Acute and Chronic): Acute: Severe skin and eye burns Chronic: Nosebleeds, nasal congestion, erosion	95-98 T swallowed. May eye burns. ments of Section 31	cause seve	SUB Z X Pre re respiratory a	PEL 1 mg/m3 essure and digestive t	1 mg/m3 X tract irritation	554 F
7664939 Sulfuric acid III. Hazardous Identification: Hazard Category: X Acute X Chronic Hazardous Identification Information: Strong oxidizer. Corrosive. Harmful if inhaled or possible severe burns. Causes severe skin and This material is subject to the reporting requirem IV. First Aid Measures: Route(s) of Entry: Inhalation, ingestion, skin, eyes Health Hazards (Acute and Chronic): Acute: Severe skin and eye burns Chronic: Nosebleeds, nasal congestion, erosion Signs and Symptoms:	95-98 T swallowed. May eye burns. ments of Section 31 The of the teeth, brond breath, delayed lures.	cause seve	SUB Z X Pre re respiratory a	PEL 1 mg/m3 essure and digestive t	1 mg/m3 X tract irritation	554 F

Page 2 of 4 Monday, January 31, 2011

MSDS - Material Safety Data Sheet

Product Name: Modified Mecke's Reagent for Heroin (Ampoule 1)

MSDS No.: NARK20011A

Inhalation: Remove to fresh air immediately. If not breathing, give artificial respiration. (DO NOT use mouth-to-mouth respiration!) If breathing is difficult, give oxygen (To be administered by qualified medical personnel only!) Get medical attention.

Ingestion: DO NOT induce vomiting. If victim is conscious and alert, give 2-4 cups of milk or water. (Never give anything by mouth to an unconscious person!) Get medical attention immediately.

Skin: Flush skin with plenty of soap and water for at least 15 minutes. Remove contaminated clothing. Seek medical attention. SPEEDY ACTION IS CRITICAL!

Eyes: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower lids. Do not allow victim to rub or keep eyes closed. Get medical aid immediately.

Other Health Warnings:

V. Fire Fighting Measures:

Flash Point: NE Lower Explosive Limit: NE Upper Explosive Limit: NE

F.P. Method:

Fire Extinguishing Media: Carbon dioxide, dry chemical--DO NOT use water!

Special Fire Fighting Procedures:

Wear self-contained breathing apparatus and protective clothing. DO NOT get water inside containers. Cool containers with flooding amounts of water until well after fire is out.

Unusual Fire and Explosion:

Strong oxidizer. Contact with combustible materials could start a fire. Contact with water may generate heat and spatter material. Contact with metals may generate flammable hydrogen gas. Containers may explode when heated or contaminated with water.

VI. Accidental Release Measures:

Steps to be Taken in Case Material is Released or Spilled:

Wear vapor respirator, safety goggles, and rubber gloves. Soak up with inert absorbent material (sand, dry lime, or soda ash recommended; do not use flammable substances such as sawdust). DO NOT put water directly on leak, spill area, or inside container. Dispose according to local, state, and federal regulations.

VII. Handling and Storage:

Precautions to be Taken:

Keep in tightly closed container. Keep cool and dry. Avoid incompatible materials, especially water. Use only in well-ventilated areas. Avoid contact with skin, eyes, and clothing. Do not ingest or inhale. Wash thoroughly after handling.

Other Precautions:

VIII. Exposure Controls/Personal Protection:

Ventilation Requirements:

Use only in well-ventilated areas.

Personal Protective Equipment:

Safety goggles, gloves, vapor respirator, protective clothing

Page 3 of 4 Monday, January 31, 2011

MSDS - Material Safety Data Sheet

Product Name: Modified Mecke's Reagent for Heroin (Ampoule 1)

MSDS No.: NARK20011A

IX. Physical and Chemical Properties:

Boiling Point: 554 F **Melting Point**: 50.6 F

Evaporation Rate (Butyl Acetate = 1): * Vapor Pressure (mm Hg.): 0.00120

Specific Gravity (H20 = 1): Vapor Density (AIR = 1): 1.2

Solubility In Water: Soluble Appearance and Odor: Colorless, odorless liquid

Other Information: * Evaporation Rate: Slower than ether

X. Stability and Reactivity:

Stability:

Stable under normal temperatures and pressures.

Incompatibility (Materials to Avoid):

Acetic anhydride, cyanohydrins, acetone + nitric acid, acetone + potassium dichromate, acetonitrile + sulfur trioxide, acrolein, acrylonitrile, alcohols, hydrogen peroxide, allyl chloride, 2-aminoethanol, ammonium hydroxide, ammonium iron (III) sulfate dodecahydrate, ammonium triperchromate, aniline + glycerol + nitrobenzene, bromates + metals, tert-butyl-m-xylene + nitric acid, 1-chloro-2,3-epoxypropane, bromine pentafluoride, n-butyraldehyde, carbides, chlorates, 4-chloronitrobenzene + sulfur trioxide, copper, dichloromethane + ethanol + nitrate or nitrite, 2-cyano-4-nitrobenzenediazonium hydrogen sulfate, 2-cyano-2-propanol, chlorine trifluoride, chlorosulfonic acid, cyclopentadiene, cyclopentanone oxime, 1,3-diazidobenzene, diethylamine, cuprous nitride, diisobutylene, epichlorohydrin, ethylene diamine, ethylene glycol, dimethoxydinitroanthraquinone, 4-dimethylaminobenzaldehyde, 2,5-dinitro-3-methylbenzoic acid + sodium azide, 1,5-dinitronaphthalene + sulfur, ethoxylated nonylphenol, hexalithium disilicide, ethylenimine, fulminates, acids, iodine heptafluoride, metals, isoprene, metal acetylides, perchlorates, 4-methylpiridine, nitramide, nitric acid + organic materials, nitric acid + toluene, nitroaryl bases & derivatives, nitrobenzene, nitromethane, n-nitromethylamine, 4-nitrotoluene, permanganates, phosphorus, phosphorus (III) oxide, poly(silylene), mercuric nitride, oxides, p-nitrotoluene, pentasilver trihydroxydiaminophosphate, permanganates + benzene, phosphorus isocyanate, picrates, potassium t-butoxide, potassium, 3-propynol, beta-propiolactone, pyridine, silver peroxochromate, sodium, sodium carbonate, sodium tetrahydroborate, sodium thiocyanate, sucrose, tetramethylbenzenes, 1,2,4,5-tetrazine, thalium (I) azidodithiocarbonate, 1,3,5-trinitrosohexahydro-1,3,5-triazine, zinc iodide, combustible materials

Decomposition/By Products:

Sulfur oxides, flammable hydrogen gas

Hazardous Polymerization:

Has not been reported.

XI. Toxicological Information:

Carcinogenicity

Sulfuric acid

ACGIH--A2: Suspected human carcinogen

OSHA--Select carcinogen

IARC--Group 1: Carcinogenic to humans

XII. Ecological Information:

Prevent from entering sewers or waterways. Toxic to some aquatic life.

XIII. Disposal Considerations:

Dispose according to local, state, and federal regulations.

Page 4 of 4 Monday, January 31, 2011

MSDS - Material Safety Data Sheet

Product Name: Modified Mecke's Reagent for Heroin (Ampoule 1)

MSDS No.: NARK20011A

XIV. Transport Information:

Keep in tightly closed container. Keep cool and dry. Avoid incompatible materials, especially water. Avoid contact with skin, eyes, and clothing. Do not ingest or inhale. Wash thoroughly after handling.

IATA

Shipping name: Chemical kit

Hazard class: 9 UN no.: 3316 Packing group: II

XV. Regulatory Information:

Sulfuric acid is listed on the TSCA inventory.

Sulfuric acid is listed as a Hazardous Substance under the Clean Water Act.

Sulfuric acid is listed on the EPA Extremely Hazardous Substances (EHS) list.

This material is subject to the reporting requirements of Section 313 of SARA Title III and 40 CFR Part 373.

XVI. Other Information:

Using this product under normal, properly instructed procedures should not be hazardous.

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, expressed or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular purposes.

MSDS - Material Safety Data Sheet

Product Name: Modified Mecke's Reagent for Heroin (Ampoule 2)

MSDS No.: NARK20011B

I. Basic Inf	formation:							
Manufacturer: Sirchie Finger Print Laboratories						NFPA Fire		
Address: 100 Hunter Place						1 `	<u> </u>	
City, ST Zip: Youngsville, NC 27596						Health 2	Reastivity 1	
Emergency Co	ontact: CHEMTRE	C				\ / \	./	
Emergency Te	elephone Number:	800-424-9300				COR Specjal	Y	
Contact: Tech	n Support					opeojai		
Information To	elephone Number:	919-554-2244				2 Health		
Last Update:	2-21-2008	Expiration Date:				1 Flammab	oility	
Chemical Stat	te: X Liquid	Gas	Solid			1 Reactivi	ty	
Chemical Typ	e: Pure	X Mixture				H Pers. Pro	otection	
II. Ingredie	ents:							
Trade Sec	cret		E	EHS IAI	RC SAI		ACGIH	Other
CAS No.	Chemical Name		% Range	NTP	SUB Z	PEL	TLV	Limits
7664939	Sulfuric acid		99.6	x >	(1 mg/m3	1 mg/m3	554 F
III. Hazara	dous Identificati	ion:						
Hazard Catego	ory:							
X Acute	е	X Chronic	X Fir	Fire Pressure		Pressure	X	Reactive
Strong oxion possible se	evere burns. Cau	Harmful if inhaled or ses severe skin and	eye burns.					with
	rial is subject to th	e reporting requireme	ents of Section 3	13 of SARA	litle III and 40) CFR Part 3/3		
Route(s) of Er	ntry:							
	ingestion, skin, e	yes						
		-						
	ls (Acute and Chro vere skin and eye	-						
	-							
Chronic: N Signs and Svr		l congestion, erosion	of the teeth, bror	ncnitis, conju	nctivitis, derm	atitis		

Medical Conditions Generally Aggravated by Exposure:

Respiratory, skin, eye, liver, kidney, heart diseases

Inhalation: Sore throat, coughing, shortness of breath, delayed lung edema

Emergency and First Aid Procedures:

Page 2 of 4 Friday, May 12, 2006

MSDS - Material Safety Data Sheet

Product Name: Modified Mecke's Reagent for Heroin (Ampoule 2)

MSDS No.: NARK20011B

Inhalation: Remove to fresh air immediately. If not breathing, give artificial respiration. (DO NOT use mouth-to-mouth respiration!) If breathing is difficult, give oxygen (To be administered by qualified medical personnel only!) Get medical attention.

Ingestion: DO NOT induce vomiting. If victim is conscious and alert, give 2-4 cups of milk or water. (Never give anything by mouth to an unconscious person!) Get medical attention immediately.

Skin: Flush skin with plenty of soap and water for at least 15 minutes. Remove contaminated clothing. Seek medical attention. SPEEDY ACTION IS CRITICAL!

Eyes: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower lids. Do not allow victim to rub or keep eyes closed. Get medical aid immediately.

Other Health Warnings:

V. Fire Fighting Measures:

Flash Point: NE Lower Explosive Limit: NE Upper Explosive Limit: NE

F.P. Method:

Fire Extinguishing Media: Carbon dioxide, dry chemical--DO NOT use water!

Special Fire Fighting Procedures:

Wear self-contained breathing apparatus and protective clothing. DO NOT get water inside containers. Cool containers with flooding amounts of water until well after fire is out.

Unusual Fire and Explosion:

Strong oxidizer. Contact with combustible materials could start a fire. Contact with water may generate heat and spatter material. Contact with metals may generate flammable hydrogen gas. Containers may explode when heated or contaminated with water.

VI. Accidental Release Measures:

Steps to be Taken in Case Material is Released or Spilled:

Wear vapor respirator, safety goggles, and rubber gloves. Soak up with inert absorbent material (sand, dry lime, or soda ash recommended; do not use flammable substances such as sawdust). DO NOT put water directly on leak, spill area, or inside container. Dispose according to local, state, and federal regulations.

VII. Handling and Storage:

Precautions to be Taken:

Keep in tightly closed container. Keep cool and dry. Avoid incompatible materials, especially water. Use only in well-ventilated areas. Avoid contact with skin, eyes, and clothing. Do not ingest or inhale. Avoid prolonged or repeated exposure. Wash thoroughly after handling.

Other Precautions:

VIII. Exposure Controls/Personal Protection:

Ventilation Requirements:

Use only in well-ventilated areas.

Personal Protective Equipment:

Safety goggles, gloves, vapor respirator, protective clothing

Page 3 of 4 Friday, May 12, 2006

MSDS - Material Safety Data Sheet

Product Name: Modified Mecke's Reagent for Heroin (Ampoule 2)

MSDS No.: NARK20011B

IX. Physical and Chemical Properties:

Boiling Point: 554 F Melting Point: 50.6 F

Evaporation Rate (Butyl Acetate = 1): * Vapor Pressure (mm Hg.): 0.00120

Specific Gravity (H20 = 1): Vapor Density (AIR = 1): 1.2

Solubility In Water: Soluble Appearance and Odor:

Other Information: * Evaporation Rate: Slower than ether

X. Stability and Reactivity:

Stability:

Stable under normal temperatures and pressures.

Incompatibility (Materials to Avoid):

Acetic anhydride, cyanohydrins, acetone + nitric acid, acetone + potassium dichromate, acetonitrile + sulfur trioxide, acrolein, acrylonitrile, alcohols, hydrogen peroxide, allyl chloride, 2-aminoethanol, ammonium hydroxide, ammonium iron (III) sulfate dodecahydrate, ammonium triperchromate, aniline + glycerol + nitrobenzene, bromates + metals, tert-butyl-m-xylene + nitric acid, 1-chloro-2,3-epoxypropane, bromine pentafluoride, n-butyraldehyde, carbides, chlorates, 4-chloronitrobenzene + sulfur trioxide, copper, dichloromethane + ethanol + nitrate or nitrite, 2-cyano-4-nitrobenzenediazonium hydrogen sulfate, 2-cyano-2-propanol, chlorine trifluoride, chlorosulfonic acid, cyclopentadiene, cyclopentanone oxime, 1,3-diazidobenzene, diethylamine, cuprous nitride, diisobutylene, epichlorohydrin, ethylene diamine, ethylene glycol, dimethoxydinitroanthraquinone, 4-dimethylaminobenzaldehyde, 2,5-dinitro-3-methylbenzoic acid + sodium azide, 1,5-dinitronaphthalene + sulfur, ethoxylated nonylphenol, hexalithium disilicide, ethylenimine, fulminates, acids, iodine heptafluoride, metals, isoprene, metal acetylides, perchlorates, 4-methylpiridine, nitramide, nitric acid + organic materials, nitric acid + toluene, nitroaryl bases & derivatives, nitrobenzene, nitromethane, n-nitromethylamine, 4-nitrotoluene, permanganates, phosphorus, phosphorus (III) oxide, poly(silylene), mercuric nitride, oxides, p-nitrotoluene, pentasilver trihydroxydiaminophosphate, permanganates + benzene, phosphorus isocyanate, picrates, potassium t-butoxide, potassium, 3-propynol, beta-propiolactone, pyridine, silver peroxochromate, sodium, sodium carbonate, sodium tetrahydroborate, sodium thiocyanate, sucrose, tetramethylbenzenes, 1,2,4,5-tetrazine, thalium (I) azidodithiocarbonate, 1,3,5-trinitrosohexahydro-1,3,5-triazine, zinc iodide, combustible materials

Decomposition/By Products:

Sulfur oxides, flammable hydrogen gas

Hazardous Polymerization:

Has not been reported.

XI. Toxicological Information:

Carcinogenicity

Sulfuric acid

ACGIH--A2: Suspected human carcinogen

OSHA--Select carcinogen

IARC--Group 1: Carcinogenic to humans

XII. Ecological Information:

Prevent from entering sewers or waterways. Toxic to some aquatic life.

XIII. Disposal Considerations:

Dispose according to local, state, and federal regulations.

Page 4 of 4 Friday, May 12, 2006

MSDS - Material Safety Data Sheet

Product Name: Modified Mecke's Reagent for Heroin (Ampoule 2)

MSDS No.: NARK20011B

XIV. Transport Information:

Keep in tightly closed container. Keep cool and dry. Avoid incompatible materials, especially water. Avoid contact with skin, eyes, and clothing. Do not ingest or inhale. Avoid prolonged or repeated exposure. Wash thoroughly after handling.

IATA

Shipping name: Chemical kit

Hazard class: 9 UN no.: 3316 Packing group: II

XV. Regulatory Information:

Sulfuric acid is listed on the TSCA inventory.

Sulfuric acid is listed as a Hazardous Substance under the Clean Water Act.

Sulfuric acid is listed on the EPA Extremely Hazardous Substances (EHS) list.

This material is subject to the reporting requirements of Section 313 of SARA Title III and 40 CFR Part 373.

XVI. Other Information:

Using this product under normal, properly instructed procedures should not be hazardous.

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, expressed or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular purposes.